Birthday Experiment Assignment Answer key

Due Date:____The same as homework 2_____

Assignment Goal: To understand the computation of the probability that at least two people in a group of n people share the same birthday and the probability that nobody in a group of n people share the same birthday.

To understand the idea of those probabilities try the Birthday Experiment applet at the following website:

http://socr.stat.ucla.edu/htmls/SOCR_Experiments.html

Select the Birthday Experiment from the drop-down list on the top-left.

(a) Draw 10 people at random from the population and observe their birthdays. This is like drawing 10 balls (n=10) at random with replacement from an urn containing 365 balls (m=365). To do that, set n=10, set m to 365. Click on the run-one-step button →

How many distinct balls did you get? _____10_____Is that the same as the value of V? __Yes____What is the value of V ? ____10_____

Were there any balls that repeated? (i.e., any red ball in your set?) ____No____ If there are two balls with the same number, I should be 1. If not, I should be 0. What is your I? _____0____

Attach a printout of your applet with your work.



(b) In (a) we did only one run of the experiment. That won't take us too far. We need to repeat the same experiment many times to see how often we get 10 green balls and how often we get at least a red ball. Keep n=10 and m=365 and set update=1

and stop=10. Click on the run-multiple-steps button $\overset{)}{\square}$. You will only see that last run of the experiment in the coins drawn, but you will see all 10 runs and the V's and I's and the distribution of the I's.

Was there a red ball in the last run? (The last one is the one shown on the bottom of the screen)_No__

In how many runs was the number of distinct balls equal to 10? _____9____

In how many runs was V equal to 10? _____9____

In how many runs was I equal to 0? _____9____

In how many runs was I equal to 1? _____1____

What is the theoretical distribution of I on the top right hand side giving you? (Notice, that if you don't see the distribution of the I, you can go up to the left hand corner, near the m , and select I instead of V) $__P(I=1)=0.88305$ and $P(I=0)=0.11695___$

According to your 10 runs, the probability that no two people in a group of 10 share the same birthday is? ______0.9_____

The probability that at least two people in a group of 10 share the same birthday is, according to your 10 runs _____0.1____

Birthday Experiment		date 1 🛟 Stop 10 m = 365	n = 1	 •
	Run 1 2 3 4 5 6 7 8 9 10	V I 10 10 10 8 10 10 10 10 10 10 10 10 10		0 1 Distrib Data 0.88 0.9 0.11 0.1

Attach a printout/snapshot of the applet with your results.

(c) With 10 runs, you have not got too close to the true probability. So what about trying 10000 runs of the experiment? Don't even dream of seeing every single one of these. So, reset the screen, and set the stop at 10000 and the update at 1000. This means you will only see every 1000 run. But the final distribution with all 10000 runs will appear on the right.

Look at the distribution of the I on the right. What proportion of times did the run have at least a red ball? _____0.1224_____

This is the approximation to the probability (looking at the data distribution) that at least two people in a group of 10 share the same birthday. The true probability is? 0.11695

What proportion of the 10000 experiments had all 10 balls be distinct?

This is the approximation to the probability that nobody in a group of 10 share the same birthday.

What is the theoretical probability____0.88305_____

How is the first probability related to the one you calculated in (b) using only 10 experiments ?

Attach a printout/snapshot of the applet at the end of the 10000 runs.

Birthday Experiment		m = 365	= n=10		
		13 (13 (13 (15 (15 (15 (15 (15 (15 (15 (15 (15 (15			
					1
	KUT	V I		LIST	IDUXON USIS
	1 000	10	nic.	0.883	05 0.8776
	1,000	10 10	00	0.883	05 0.8776
	1,000 2,000 3,000	10 10 10	0 C 0 1 0	0.863	05 0.8776 95 0.1224
	1,000 2,000 3,000 4,000	10 10 10 9	0 0 0 1 0 1	0.883 0.116	05 0.8776 95 0.1224
	1,000 2,000 3,000 4,000 5,000	10 10 10 9 10	0 (0 1 1 0) 0.883 0.116	05 0.8776 95 0.1224
	1,000 2,000 3,000 4,000 5,000 6,000	10 10 10 9 10 10	0 0 0 1 1 0 0	0 0.883	05 0.8776 95 0.1224
	1,000 2,000 3,000 4,000 5,000 6,000 7,000	10 10 9 10 10 10	0 0 0 1 0 0 0 0 0	0 0.883	05 0.8776 95 0.1224
	1,000 2,000 3,000 4,000 5,000 6,000 7,000 8,000	10 10 9 10 10 10 10	0 0 0 1 0 0 0 0 0	0 0.883	05 0.8776 95 0.1224
	1,000 2,000 3,000 4,000 5,000 6,000 7,000 8,000 9,000	10 10 9 10 10 10 10 10		0 0.883	0.5 0.8776 95 0.1224

(d) Use what you have learned above to determine empirically the probability that at least 2 people in a group of 5 share the same **birthmonth.**

Determine also the probability that nobody in a group of 5 share the same month. Write your answer here and attach a printout/snapshot of the applet with the final runs. P(I=1) = 0.38194, that is the empirical probability that at least two people in a group of 5 share the same birthmonth.

P(I=0) = 0.61806, that is the empirical probability that nobody in a group of 5 share the same birthmonth.

Virtual Experiments Birthday Experiment Reset		(Update 100 m = 1	0 🛟 Stop	10000 † i n = 5	
	Run 1,000 2,000 3,000 4,000 5,000 6,000 7,000 8,000 9,000 10,000	V 5 2 2 4 3 4 5 4 4 4 4	I 0 1 1 1 1 1 1 1 1 1 1 1	0 0 1 Distribution 0 0.38194 1 0.61806	1 Data 0.3878 0.6122

(e) Use what you have learned above to determine empirically how large should the group of people observed be for the probabilities of at least two sharing the same birthdays and the probability of nobody sharing same birthday to be 50%-50%. This may take some trial and error. Turn in your final answer written here and attach your applet. Use for this the empirical distribution (in red) and the theoretical distribution (in blue).

When n=23, theoretically, P(I=0)=0.5073 and P(I=1)=0.4927.

) m= 365		9 1 2 1	1	
		1			
		<u>u</u>	<u>n</u>	° ò	i
Run		V	1	0 0 0	1 2. D
Run	1,000	V 23	L I	0 0 1 Distri 0 0.492	1 2. D 7 0.4
Run	1,000 2,000	V 23 21	I 1 1	0 0 1 Distri 0 0.492 1 0.507	1 2. D 7 0.4 3 0.5
Run	1,000 2,000 3,000	V 23 21 22	I 0 1 1	0 0 1 Distri 0 0.492 1 0.507	1 2. D 7 0.4 3 0.5
Run	1,000 2,000 3,000 4,000	V 23 21 22 22 22	I 1 1 1	0 0 1 Distri 0 0.492 1 0.507	1 2. D 7 0.4 3 0.5
Run	1,000 2,000 3,000 4,000 5,000	V 23 21 22 22 21 21 22 21	I 1 1 1 1 1	0 0 1 Distri 0 0.492 1 0.507	1 2. D 7 0.4 3 0.5
Run	1,000 2,000 3,000 4,000 5,000 6,000 7,000	V 23 21 22 22 21 22 21 22 21 22 21 22 23	I 0 1 1 1 1 1 1 1 1	0 0 1 Distri 0 0.492 1 0.507	1 2. D 7 0.4 3 0.5
Run	1,000 2,000 3,000 4,000 5,000 6,000 7,000 8,000 8,000	V 23 21 22 22 21 22 21 22 23 23 23	I 0 1 1 1 1 1 1 1 0 0	0 0 0 0.492 1 0.507	1 2. D 7 0.4 3 0.5
Run	1,000 2,000 3,000 4,000 5,000 6,000 7,000 8,000 9,000	V 23 21 22 22 21 22 21 22 23 23 23 23 23 23		0 0.492 1 0.507	1 2. D 7 0.4 3 0.5